REMARKS

Upon entry of the Amendment, claims 1-7, 9 and 12-16 will be all the claims pending in the application. Claim 1 is amended. Claims 10-11 are canceled. Claim 16 is withdrawn from consideration as being directed to an non-elected invention.

Claims 10 and 11 have been combined into claim 1. Further, the thickness of the semiconductor-metal-containing layer is restricted to 1 to 3 nm based on the description at page 11, lines 35-36 of the specification, and is further restricted to a Group III metal concentration of the semiconductor-metal-containing layer of 1 to 20 at.% on the basis of the description at page 12, lines 12-13 of the present specification. Withdrawn claim 16 directed to a method for producing a gallium nitride compound semiconductor light-emitting device according to claim 1 includes all of the limitations of product claim 1. If claim 1 is found to be patentable, Applicants respectfully request rejoinder of method claim 16 pursuant to MPEP 821.04.

No new matter has been added. Entry of the Amendment is respectfully requested as placing the case in condition for allowance.

I. Claim Rejection under 35 U.S.C. § 103

Claims 1-7 and 9-15 were rejected under 35 U.S.C. §103(a) as being unpatentable over Onomura (U.S. Pat. No. 6,067,309) in view of Takatani (JP 10-303504).

Applicants respectfully traverse.

The Examiner acknowledged that Onomura does not disclose that the surface portion of the contact metal layer on the p-type semiconductor layer side includes a semiconductor-metal-containing layer that contains a Group III metal, as required by claim 1 of the present application. Takatani was cited by the Examiner to make up the noted deficiency of Onomura.

Attorney Docket No.: Q80165

AMENDMENT UNDER 37 C.F.R. § 1.116

Application No.: 10/589,611

However, Onomura in view of Takatani at least fails to disclose or suggest a

semiconductor-metal-containing layer that contains a Group III metal at a concentration of 1 to

20 at.% with respect to the total amount of metal atoms contained in the semiconductor-metal-

containing layer, and wherein the semiconductor-metal-containing layer has a thickness of 1 to 3

nm, as recited in amended claim 1

In particular, the compound layer 102 of Takatani is composed of an intermetallic

compound consisting of Pt and Ga, i.e. PtGa, Pt2Ga3 or Pt3Ga2 (see paragraph [0026] of

Takatani). Namely, the Group III metal concentration of the compound layer 102 of Takatani is

50, 60 or 40 at.%.

On the other hand, the semiconductor-metal-containing layer of the present invention is

composed of a solid solution in which a Group III metal, for example Ga, dissolves in a metal

constituting a positive electrode, for example Pt, and the Group III metal concentration of the

semiconductor-metal-containing layer is 1 to 20 at.%, as recited in amended claim 1.

Further, the Examiner acknowledged that Onomura and Takatani do not explicitly teach

the thickness of the semiconductor-metal-containing layer. The Examiner took the position that it

would have been obvious to provide a certain thickness of the semiconductor-metal-containing

layer. Applicants respectfully disagree.

As shown in Table 2 of the present specification, when the thickness of the

semiconductor-metal-containing layer is 1 nm or more, the forward voltage is stable in the range

of 3.2-3.3 V; when the thickness of the semiconductor-metal-containing layer becomes less than

1 nm, the forward voltage rises to 3.9 V rapidly. Further, as shown in Table 4 of the present

specification, when the thickness of the semiconductor-metal-containing layer becomes more

than 3 nm, the light transmittance is lowered rapidly. Accordingly, the thickness range of 1 to 3

6

AMENDMENT UNDER 37 C.F.R. § 1.116

Application No.: 10/589,611

nm of the semiconductor-metal-containing layer is a critical feature of the instant application not

Attorney Docket No.: Q80165

taught, suggested or otherwise recognized by Onomura in view of Takatani.

Onomura, either alone or in view of Takatani, do not disclose or suggest the

semiconductor-metal-containing layer as required by amended claim 1.

Accordingly, Applicants respectfully submit that the present claims are patentable over

Onomura in view of Takatani, withdrawal of the foregoing rejection under 35 U.S.C. § §103

and rejoinder of withdrawn method claim 16 is respectfully requested.

II. Conclusion

In view of the above, reconsideration and allowance of this application are now believed

to be in order, and such actions are hereby solicited. If any points remain in issue which the

Examiner feels may be best resolved through a personal or telephone interview, the Examiner is

kindly requested to contact the undersigned at the telephone number listed below.

The USPTO is directed and authorized to charge all required fees, except for the Issue

Fee and the Publication Fee, to Deposit Account No. 19-4880. Please also credit any

overpayments to said Deposit Account.

Respectfully submitted,

Registration No. 50,214

SUGHRUE MION, PLLC

Telephone: (202) 293-7060

Facsimile: (202) 293-7860

WASHINGTON OFFICE

23373

CUSTOMER NUMBER

Date: July 15, 2009

Yan Lan

7